Welcome to STN International! Enter x:x
LOGINID:ssspta1649axm
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * * Welcome to STN International
NEWS 1 Web Page URLs for STN Seminar Sci

```
Web Page URLs for STN Seminar Schedule - N. America
                "Ask CAS" for self-help around the clock
NEWS
        Apr 08
                New e-mail delivery for search results now available
NEWS
        Jun 03
                PHARMAMarketLetter(PHARMAML) - new on STN
NEWS
        Aug 08
        Aug 19
NEWS
                Aquatic Toxicity Information Retrieval (AQUIRE)
                now available on STN
NEWS
        Aug 26
                Sequence searching in REGISTRY enhanced
NEWS 7
        Sep 03
                JAPIO has been reloaded and enhanced
NEWS 8 Sep 16
                Experimental properties added to the REGISTRY file
NEWS 9 Sep 16 CA Section Thesaurus available in CAPLUS and CA
NEWS 10 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985
NEWS 11 Oct 24 BEILSTEIN adds new search fields
NEWS 12 Oct 24 Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 13 Nov 18 DKILIT has been renamed APOLLIT
NEWS 14 Nov 25 More calculated properties added to REGISTRY
NEWS 15 Dec 04 CSA files on STN
                PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS 16 Dec 17
NEWS 17 Dec 17
                TOXCENTER enhanced with additional content
NEWS 18 Dec 17
                Adis Clinical Trials Insight now available on STN
NEWS 19 Jan 29
                Simultaneous left and right truncation added to COMPENDEX,
                ENERGY, INSPEC
NEWS 20 Feb 13
                CANCERLIT is no longer being updated
NEWS 21
        Feb 24
                METADEX enhancements
NEWS 22 Feb 24 PCTGEN now available on STN
NEWS 23 Feb 24
                TEMA now available on STN
                NTIS now allows simultaneous left and right truncation
NEWS 24 Feb 26
NEWS 25
        Feb 26
                PCTFULL now contains images
NEWS 26
        Mar 04
                SDI PACKAGE for monthly delivery of multifile SDI results
NEWS 27
        Mar 20
                EVENTLINE will be removed from STN
NEWS 28 Mar 24
                PATDPAFULL now available on STN
NEWS 29 Mar 24
                Additional information for trade-named substances without
                structures available in REGISTRY
NEWS 30
        Apr 11
                Display formats in DGENE enhanced
NEWS 31
        Apr 14
                MEDLINE Reload
NEWS 32
        Apr 17
                Polymer searching in REGISTRY enhanced
NEWS 33
        Apr 21
                Indexing from 1947 to 1956 being added to records in CA/CAPLUS
NEWS 34 Apr 21
                New current-awareness alert (SDI) frequency in
                WPIDS/WPINDEX/WPIX
NEWS 35
        Apr 28
                RDISCLOSURE now available on STN
NEWS 36
        May 05
                Pharmacokinetic information and systematic chemical names
                added to PHAR
NEWS 37
        May 15
                MEDLINE file segment of TOXCENTER reloaded
NEWS 38
        May 15
                Supporter information for ENCOMPPAT and ENCOMPLIT updated
NEWS 39
        May 16
                CHEMREACT will be removed from STN
NEWS 40 May 19
                Simultaneous left and right truncation added to WSCA
NEWS 41 May 19
                RAPRA enhanced with new search field, simultaneous left and
                right truncation
```

NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),

AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:11:38 ON 28 MAY 2003

=> file agricola biosis COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

0.21

0.21

FULL ESTIMATED COST

FILE 'AGRICOLA' ENTERED AT 09:11:44 ON 28 MAY 2003

FILE 'BIOSIS' ENTERED AT 09:11:44 ON 28 MAY 2003 COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

=> s anther color (5w) red

L1 2 ANTHER COLOR (5W) RED

=> s l1 and (corn or maize)

L2 0 L1 AND (CORN OR MAIZE)

=> s glume color (10w) red

L3 1 GLUME COLOR (10W) RED

=> s 13 and (corn or maize)

L4 0 L3 AND (CORN OR MAIZE)

=> s silk color (10w) red

L5 1 SILK COLOR (10W) RED

=> s 15 and (corn or maize) (

MISSING OPERATOR MAIZE) (

The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

=> s 15 and (corn or maize)

L6 1 L5 AND (CORN OR MAIZE)

=> d ti

L6 ANSWER 1 OF 1 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.

TI Heritability and correlation among some selected morphological traits and their relationship with fall armyworm damage in sweet corn.

ANSWER 1 OF 1 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. 1.6 AB Fall armyworm (Spodoptera frugiperda J. E. Smith)) (FAW) is a serious pest in field corn and sweet corn (Zea mays L.) in many parts of the world. Sweet corn germplasm with effective levels of resistance to damage by the fall armyworm is needed to transfer resistance to commercial hybrids. The objectives of this study were to estimate heritability and to estimate the correlation among some selected morphological traits and their relationship with FAW damage. Seven shrunken-2 (sh2) inbred lines and four commercial sh2 hybrids of sweet corn were crossed to Mp708, a FAW-resistant field corn line. The F2 populations were subdivided with one half being selected for the sh2 trait and the other half was left unselected. Parent, F2, and F3 populations were artificially infested with FAW and evaluated for leaf damage caused by FAW. Heritability estimates for FAW resistance ranged from 0.22 to 0.61 depending on method of estimation used. The highest correlations occurred between silk color and anther color (0.70) and silk color and glume color (0.49). There were no consistent correlations of most morphological traits with FAW damage. A linkage between white silk and shrunken-2 was observed. => d so L6 ANSWER 1 OF 1 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. SO Acta Cientifica Venezolana, (2002) Vol. 53, No. 1, pp. 66-69. print. ISSN: 0001-5504. => s cob color (10w) red 0 COB COLOR (10W) RED => s ph3av and (maize or corn) 0 PH3AV AND (MAIZE OR CORN) => s pta-4346 0 PTA-4346 => s early flower? and (corn or maize) 55 EARLY FLOWER? AND (CORN OR MAIZE) => s 110 and good seed quality 0 L10 AND GOOD SEED QUALITY => s 110 and very good plant health 0 L10 AND VERY GOOD PLANT HEALTH L12 => s 110 and good early growth 0 L10 AND GOOD EARLY GROWTH => s l10 and northwestern 0 L10 AND NORTHWESTERN => s 110 and western canada 0 L10 AND WESTERN CANADA => s good seed and (maize or corn) 9 GOOD SEED AND (MAIZE OR CORN) => s l16 and good stalk? 0 L16 AND GOOD STALK?

=> s 116 and hard kernel

0 L16 AND HARD KERNEL

- => s l16 and high yield L19 0 L16 AND HIGH YIELD
- => s 110 and high yield L20 2 L10 AND HIGH YIELD
- => d 1-2 ti
- L20 ANSWER 1 OF 2 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.
- TI Temperate maize inbreds derived from tropical germplasm. II. Inbred yield trials.
- L20 ANSWER 2 OF 2 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI Temperate maize inbreds derived from tropical germplasm: II. Inbred yield trials.
- => d l16 1-9 ti
- L16 ANSWER 1 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2003)
- TI Seed corn drying experiments.
- L16 ANSWER 2 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2003)
- TI Good seed corn for 1913.
- L16 ANSWER 3 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2003)
- TI The effectiveness of seed **corn** selection based on ear characters.
- L16 ANSWER 4 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2003)
- TI The production of good seed corn.
- L16 ANSWER 5 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.

 (2003)
- TI The production of good seed corn.
- L16 ANSWER 6 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI Inbred line potentials for the synthesis of new popcorn hybrids.
 Original Title: Potencial de linhagens de populações locais de milho
 pipoca para sintese de hibridos..
- L16 ANSWER 7 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI Influence of the maize seed size and treatment on quality preservation during storage, and later field behavior.
- L16 ANSWER 8 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- TI The influence of weeds on insect-related mortality of intercropped sorghum

and maize in southern Honduras.

- L16 ANSWER 9 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. TI RELATION OF SEED TESTING TRAITS TO GRAIN YIELD OF MAIZE HYBRIDS UNDER DIFFERENT ENVIRONMENTS.
- => d l16 1-9 so
- L16 ANSWER 1 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2003)
- SO Journal of the American Society of Agronomy, Oct 1929. Vol. 21, No. 10. p. 994-1000
 Publisher: Madison, Wis. : American Society of Agronomy.
 CODEN: AGJOAT; ISSN: 0002-1962
- L16 ANSWER 2 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2003)
- SO 1912 11 p. : ill. ; 22 cm
 Publisher: Ames, Iowa : Agricultural Experiment Station, Iowa State
 College of Agriculture and Mechanic Arts, 1912.
 Series: Circular (Iowa State College. Agricultural Experiment Station) ;
 no. 4.
 Gov. Source: State, provincial, territorial
- L16 ANSWER 3 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved.
- SO Agronomy journal, Feb 1925. Vol. 17, No. 2. p. 113-118 Publisher: Madison, Wis. : American Society of Agronomy. CODEN: AGJOAT; ISSN: 0002-1962
- L16 ANSWER 4 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2003)
- SO 1905 23 p. : ill. ; 23 cm Publisher: Washington : U.S. Dept. of Agriculture, 1905. Gov. Source: Federal
- L16 ANSWER 5 OF 9 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2003)
- SO 1905 23 p. : ill. -Publisher: Washington, D.C. : U.S. Dept. of Agriculture, 1905.
 Gov. Source: Federal
- L16 ANSWER 6 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- SO Bragantia, (2000) Vol. 59, No. 2, pp. 143-151. print. ISSN: 0006-8705.
- L16 ANSWER 7 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- SO Ciencia e Pratica, (1995) Vol. 19, No. 1, pp. 30-36. ISSN: 0100-3267.
- L16 ANSWER 8 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
- SO Tropical Agriculture, (1994) Vol. 71, No. 3, pp. 208-214. ISSN: 0041-3216.

L16 ANSWER 9 OF 9 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.

SO SEED SCI TECHNOL, (1991) 19 (1), 25-32.

CODEN: SSTCBK. ISSN: 0251-0952.

WEST Search History

DATE: Wednesday, May 28, 2003

| Set Name
side by side | | Hit Count | Set Name result set |
|---------------------------|-------------------------------------|-----------|---------------------|
| DB=USPT; PLUR=YES; OP=ADJ | | | |
| L20 | pta-4346 | 0 | L20 |
| L19 | L18 and good early growth | 23 | L19 |
| L18 | L17 and high grain yield | 133 | L18 |
| L17 | early flowering and (corn or maize) | 414 | L17 |
| L16 | L15 and good early growth | 0 | L16 |
| L15 | L14 and high grain yield | 0 | L15 |
| L14 | early floweing and (corn or maize) | 0 | L14 |
| L13 | 19 and early flowering | 0 | L13 |
| L12 | 19 and high grain yield | 0 | L12 |
| L11 | ph3av | 1 | L11 |
| L10 | 19 and ph3av | () | L10 |
| L9 | 18 and 16 and 14 and 12 | 1 | L9 |
| L8 | L7 and (maize or corn) | 280 | L8 |
| L7 | cob color adj5 red | 280 | L7 |
| L6 | L5 and (maize or corn) | 23 | L6 |
| L5 | glume color adj5 red | 23 | L5 |
| L4 | L3 and (maize or corn) | 71 | L4 |
| L3 | silk color adj5 red | 71 | L3 |
| L2 | L1 and (maize or corn) | 92 | L2 |
| L1 | anther color adj5 red | 142 | L1 |

END OF SEARCH HISTORY